


TACTICAL Infrared articulating videoscope



Share live images and view inspection on Android tablet or smartphone



Avaialble Options

Dual probe with IR and white light illumination.

Audio recording on tip of probe for discreet surveillance

READY TO USE KIT



Customization

Customize the PRO B IR videoscope according to your inspection requirements by selecting : diameter, length, direction of vision or type of illumination.

Focusing range can also be customized. We specialize in developing special ready to use complete inspection kits for security forces accroos Europe.

WHAT WE DELIVER (STANDARD CASE)

- Compact shockproof case with prints for accessories
- 2 PRO B IR videoscope
- 3 HDMI cable for external monitor connection
- 4 SD card reader
- 5 Battery charger (USB)
- 6 BIPOL cleaning kit



Rigid guides

Ø 4,8 mm & Ø 8 mm with working length (430 mm)

Carrying case for multiple probes

Battery pack





| TECHNICAL DATA | <u>220</u> BIR 39 | <u> 220</u> BIR 60 |
|--------------------------|---|---------------------------|
| Camera diameter | 3.9 mm | 6.0 mm |
| Working length | 1.0 - 2.0 - 3.0 - 4.0 - 5.0 - 6.0 m | |
| Articulation | 4 way - 360° | |
| Camera resolution | 720 p | |
| Direction of vision | 0° | |
| Field of view | 120° | |
| Focusing distance | 8 -150 mm (50 mm - ∞) | 12-200 mm (50 mm - ∞) |
| Illumination | Optical fibers - Infrared 940 Nm | |
| Power | 110-220 Va EU plug - USB universal connection | |
| Images resolution | 1280x720 JPEG | |
| Videos resolution | 1280x720 AVI | |
| Working temperatures | -10°C to + 60°C | |
| Videoscope dimensions | 350x155x59mm | |
| Net weight without probe | 0.6 kg | |
| Warranty | 1 year | |