

BIPOL

PRO S+



4.3" TOUCH SCREEN

800x400 px



4-WAY JOYSTICK

Up to 220° bending
on all directions



**INTERCHANGEABLE
VIDEO PROBES**

With high temperature
warning

WIFI FUNCTION



Available in option

Our latest PROS+ videoscope offers an exceptional value for money. It is compact and fully portable. The 4.3" touch screen allows clear and bright view during inspection. The interchangeable tungsten braided probes are available in 2 diameters and offer a resolution of 1.000.000 pixels and powerful LED illumination. A long lasting replacable battery guarantees hours of quality inspections in a large array of sectors.

Versatile - Compact - High resolution



COMPLETE INTERFACE

White balance/ Contrast/
Tone/ Exposure
Image rotation
Grid
5 X digital Zoom

WATERMARK

Allows short text
annotation (max 15 characters)

CONNECTORS

Micro SD card 32 GB
HDMI
Micro USB

PHOTOS/VIDEOS

Easy Trigger on the back
of the handle



MAGNETIC TABLE STAND

REMOVABLE BATTERY

26650 5000MAH
up to 4 hours runtime



QUICKLY CHANGE BETWEEN PROBES

- Diameters 3.9 and 6.2 mm
- Working lengths 1.5 & 3.0 mm
- IP67, resistant to oils, jetfuel and anti-corrosion.
- 4 layer tungsten sheathing.



READY TO USE KIT




WHAT WE DELIVER

- 1 Compact shockproof case with prints for accessories
- 2 Video Probe 1
- 3 Video Probe 2 (optional)
- 4 SD card reader
- 5 Spare battery (option)
- 6 USB Battery charger
- 7 BIPOL cleaning kit
- 8 PRO S+ Monitor

PRO S+ ACCESSORIES


Rigid guides

Ø 4,8 mm & Ø 8 mm
with working length (430mm)



Spare Battery

up to 4 hours Runtime



| TECHNICAL DATA | | PRO S+ |
|----------------------|---|--------|
| Working lengths | 1.5 & 3.0 meters | |
| Diameters | 3.9 & 6.2 mm | |
| Camera resolution | 1.000.000 px | |
| Field of vision | 120° | |
| Focusing range | 3.9 mm 0° : 10-100 mm 6.2 mm 0° : 15 mm - infinity | |
| Articulation | Mechanical 360° 4 x 180° | |
| Battery runtime | Up to 4 hours (charging time: 5 hours) | |
| Interface | Digital zoom 5x - White balance - Image rotation - Contrasts - Tones - Exposure - Gain Watermark - wifi (in option) | |
| Working temperatures | -10°C to + 50°C | |
| Images / Videos | JPEG/AVI 1280x720px | |
| Monitor Size | 4.3" Touch screen | |
| Net weight | 0.75 kg | |
| Case dimensions | 45 x 36 x 18 cm | |
| Gross weight | 3.6 kg | |
| Light source | White LEDs - 15.000 Lux (3.9mm) 25.000 Lux (6.0mm) | |
| Languages | 10 languages | |
| Warranty | 2 years | |